

Safety Data Sheet



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Destiny® Selective Turf Herbicide
Product code (UVP) 05697270

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.es.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to specific Australian legislation

Signal word: Warning

2.3 Other hazards

No other hazards known.



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

contains: Iodosulfuron-methyl-sodium 10 % w/w
Water dispersible granules (WG)

Chemical name	CAS-No.	Concentration [%]
Iodosulfuron-methyl-sodium	144550-36-7	10.00
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	< 15.00
Perlite	93763-70-3	< 10.00
Aromatic hydrocarbons, C10-13, reaction products with branched nonene, sulfonated, sodium salts	1258274-08-6	< 5.00
Docosate sodium	577-11-7	< 2.00
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

Treatment Initial treatment: symptomatic. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Elimination by dialysis (forced alkaline diuresis).

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Sulphur oxides, Oxides of phosphorus, Hydrogen iodide (HI)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

Avoid contact with spilled product or contaminated surfaces. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Do not allow run-off from fire fighting to enter drains or water courses. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Hazchem Code 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Do not breathe dust. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Avoid dust formation. Provide for appropriate exhaust ventilation and dust collection at machinery.

Advice on protection against fire and explosion Avoid dust formation by friction.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*
Perlite (Inhalable dust.)	93763-70-3	10 mg/m3 (TWA)	12 2011	AU NOEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
Material Nitrile rubber



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit.
If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

General protective measures

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling

Avoid dust formation. Provide for appropriate exhaust ventilation and dust collection at machinery.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	water-dispersible granules
Colour	beige
Odour	weak, characteristic
Odour Threshold	No data available
pH	9.5 - 10.5 (1 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	Not applicable
Flammability	No data available
Auto-ignition temperature	No data available
Ignition temperature	378 °C
Minimum ignition energy	> 100 mJ
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available

Safety Data Sheet



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	No data available
Bulk density	0.684 - 0.803 g/ml (loose)
Water solubility	dispersible
Partition coefficient: n-octanol/water	Iodosulfuron-methyl-sodium: log Pow: -0.7
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Burning number	CN1 Does not catch fire.
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Dust content	nearly dust-free
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition > 390 °C, Heating rate: 10 K/min, Decomposition energy: 41.1 J/g

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg
Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 1.951 mg/l

Safety Data Sheet



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

	Exposure time: 4 h Highest attainable concentration. Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.

Assessment mutagenicity

Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits.

Assessment STOT Specific target organ toxicity – single exposure

Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Caution!

Harmful if inhaled., Avoid breathing dust., Moderate eye irritation., Avoid contact with skin, eyes and clothing.

Do not take internally.

This product may cause adverse effects on non-target plants.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

Safety Data Sheet



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Cyprinus carpio (Carp)) 117 mg/l
Exposure time: 96 h
Test conducted with a similar formulation.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 16.4 mg/l
Exposure time: 48 h
Test conducted with a similar formulation.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.192 mg/l
Exposure time: 72 h
Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability

Iodosulfuron-methyl-sodium:
Not rapidly biodegradable

Koc

Iodosulfuron-methyl-sodium: Koc: 45

12.3 Bioaccumulative potential

Bioaccumulation

Iodosulfuron-methyl-sodium:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil

Iodosulfuron-methyl-sodium: Mobile in soils

12.5 Other adverse effects

Additional ecological information

No further ecological information is available.

SECTION 13. DISPOSAL CONSIDERATIONS

Plastic and foil bags:

Single rinse before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Puncture and bury empty bags in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty bags and product should not be burnt.

SECTION 14. TRANSPORT INFORMATION

ADG

Safety Data Sheet



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

UN number	3077
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL-SODIUM)
Hazchem Code	2Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in;

- a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or
- b) IBCs

IMDG

UN number	3077
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL-SODIUM)

IATA

UN number	3077
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL-SODIUM)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 56801

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Destiny® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by

Safety Data Sheet



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

	Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is

Safety Data Sheet



Destiny® Selective Turf Herbicide

Version 2 / AUS
102000012591

Revision Date: 07.09.2020
Print Date: 07.09.2020

sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.