

Carton main panel

ECOTOXIC
READ LABEL BEFORE USE



Maxforce[®] Gold

GEL INSECTICIDE

ACTIVE INGREDIENT: 0.3 g/kg FIPRONIL
In the form of a ready-to-use gel

35 g net

A gel bait for the treatment of cockroach infestations in the situations specified in the directions for use.

APPROVED PURSUANT TO THE HSNO ACT 1996, No. HSR000821
See www.epa.govt.nz for approval controls.

NZFSA Approved Type D (All animal product except dairy).



Side panels**MAXFORCE® GOLD GEL INSECTICIDE****HSNO CLASSIFICATIONS: 9.1C(A), 9.1C(AII), 9.1C(C), 9.1C(F), 9.4B.**

Harmful to aquatic life with long lasting effects.
Toxic to terrestrial invertebrates.

SAFETY DIRECTIONS:

May irritate the eyes and skin.
Avoid contact with eyes and skin.
Wash hands after use.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. Do not store in direct sunlight and do not store at temperatures exceeding 35 °C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of product which is older than this.

ENVIRONMENTAL PROTECTION:

DO NOT contaminate streams, rivers or waterways with the product or used container. DO NOT use in a manner contrary to the label which is likely to cause harm to terrestrial invertebrates. Collect spillage.

EMERGENCY RESPONSE:

For specialist advice in an emergency call 0800 734 607 (24 hours).

FIRST AID:

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

It is an offence to use this product on animals.

DIRECTIONS FOR USE:

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, Commercial and Public Service buildings including; farm buildings, food processing establishments, factories, hospitals, homes, kitchens, offices, restaurants, retail outlets, store-rooms, vehicles and other situations which fall within these definitions.	German, American and other common cockroaches.	Apply at least 2 spots per m ² . Increasing the number of spots (up to 5/m ²) may be required for heavy infestations or if the American cockroach is the main pest. Recommended spot size is approximately 5 mm diameter (0.1 g) or the size of the spot indicated •	Conduct a thorough inspection of the premises and then place gel in areas near cockroach harbourages or in sheltered areas where signs of cockroaches are evident. Replenish gel if previous application has been consumed and cockroaches remain a problem; increasing number of spots if necessary.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

GENERAL INSTRUCTIONS: To apply the gel, remove the cap on the nozzle and touch the tip to the surface to be treated and slowly depress plunger until sufficient gel is dispensed. Recap the dispenser after treatment is completed.

DO NOT place in areas that are routinely washed.

DO NOT apply this product in any areas easily accessible to children or animals.

Where maintenance treatments form part of the professional pest controllers contract it is recommended that cockroach activity be monitored where gel has been applied one month after initial treatment or at more regular intervals in areas of high infestation.

SAFETY DATA SHEET:

Additional information is listed in the Safety Data Sheet.

CONDITIONS OF SUPPLY:

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE RETURN AT ONCE UNOPENED.

To the extent permitted by law Bayer does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. Bayer does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter. To the extent only that Bayer is prevented by law from contracting out of the Consumer Guarantees Act then these conditions apply subject to that Act. The Act shall not apply where these goods are acquired for business purposes.

Maxforce® is a Registered Trademark of the Bayer Group.

Registered to Bayer CropScience Pty. Ltd.
391-393 Tooronga Rd., East Hawthorn,
VIC, 3123, Australia
Technical advice: +61 3 9248 6888
www.bayeres.com.au

Distributed by Garrards (NZ) Ltd.
Unit 4/27B Cain Road, Penrose, New Zealand
Phone (09) 526 5232
www.garrards.com.au

Batch No.:

D.O.M.

BARCODE

Syringe label**READ LABEL BEFORE USE**

	<h1>Maxforce[®] Gold</h1>
<h2>GEL INSECTICIDE</h2>	
<p>CONTAINS: 0.3 g/kg FIPRONIL In the form of a ready-to-use gel</p>	

35 g net

A gel bait for the treatment of cockroach infestations in the situations specified in the directions for use.

APPROVED PURSUANT TO THE HSNO ACT 1996, No. HSR000821

See www.epa.govt.nz for approval controls.



NZFSA Approved Type D (All animal product except dairy).

Before using this product read directions on the outer pack. Sale of this syringe except in outer carton is illegal. Do not destroy carton while product still remains.

HSNO CLASSIFICATIONS: 9.1C, 9.4B.

Harmful to aquatic life with long lasting effects.
 Toxic to terrestrial invertebrates.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. Do not store in direct sunlight and do not store at temperatures exceeding 35 °C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

ENVIRONMENTAL PROTECTION:

DO NOT contaminate streams, rivers or waterways with the product or used container. DO NOT use in a manner contrary to the label which is likely to cause harm to terrestrial invertebrates. Collect any spillage.

EMERGENCY RESPONSE:

For specialist advice in an emergency call 0800 734 607 (24 hours).

Distributed by Garrards (NZ) Pty. Ltd., Phone (09) 526 5232.